

Floating Floors® by Tate FF 1250 24" Aluminum Perforated Panel

TOP VIEW Standard perforated pattern - 1,0)24 holes 11/32" dia.	SPECIFICATIONS	
		General information 24 inches square. Panel Weight: 4.5 Panel height shall be 1-5/8" without of Die cast aluminum construction. 16.5% open area. Class A flame spread rating. Non-combustible material. Available with coatings. Optional standard perforated pattern compatible with FF3000 solids, perforand grates (Refer to FF1250 specific and grates (Refer to FF1250 specific Aluminum E (Select One) Stringerless Trype Aluminum E (Select One) Stringerless Type A 5× Cornerlock Type B 6× Cornerlock Type 800 Type 800 Type 800 Type 800 Standard Packaging Cleanroopenels Standard Packaging Cleanroocenters COVERING OPTIONS	s (refer to FF1250 specification) prated panels ation). PTIONS Base Steel Base (Select base) (5
000000000000000000000000000000000000000		Tile factory laminated with trim edge or 1/8" HPL(Color)_ 1/8" Conductive HPL(Color)	E-coated
		☐ 1/16" HPL(Color)_	E-coated
		1/16" Conductive HPL(Co	
		rissipative(Color)	
	☐ 1/8" Low En	nission Conductive Vinyl(Color)	_
	Epoxy Powder Coated 1/8" Low En	nission Static Dissipative(Color)	_
Tile with Monolithic Tile	NiChrome Coated	COATING OPTIONS ☐ Ni Chrome ☐ Other ☐ Epoxy Powder Coat (conductive)/(Co	blor)
System Performance Criteria System performance criteria are the most importar such as concentrated load is often used to specify performed with the panel resting on blocks, not act	floor systems however, the test is not repr ual understructure.		
System Performance Criteria (To	<u> </u>	,	
System Type SYSTEM Panel Understructure WEIGHT		ROLLING LOADS 10 Passes 10,000 Passes	IMPACT LOADS

Pass

Pass

1250 lbs

567 kg

1250 lbs 567 kg

FF1250 Perforated

Stringerless / Cornerlock

Bolted Stringer

6.0 lbs / ft²

29 kg / m²

6.5 lbs / ft² 32 kg / m² 100 lbs.

45.4 kg

100 lbs.

45.4 kg

1000 lbs. 454 kg

1000 lbs. 454 kg

1000 lbs. 454 kg


1000 lbs. 454 kg

^{*}System load definitions and test procedure descriptions can be found in the Standard Product Tests and Methodology Guidelocated in the Resources section of Tate's web-site, www.tateaccessfloors.com.



Floating Floors® by Tate FF 1250 24" Aluminum Perforated Panel

BOTTOM VIEW WITH OPTIONAL AIR EXACT DAMPER



DOWNWARD AIR FLOW PERFORMANCE Standard Holes

Graniaana mores									
Static	FF1250 Perforated	Damper Percent Open							
Pressure		20%	30%	40%	50%	60%	70%	80%	100%
(in H20)	No Damper	Airflow in CFM							
.02	361	183	218	240	267	286	308	312	339
.04	526	248	319	352	378	422	443	475	491
.06	652	304	385	447	489	538	554	573	612
.08	751	350	446	507	564	616	649	687	712
.10	843	391	485	561	642	685	721	748	778

Downward air flow performance is tested with 1/8" tile with standard 1,024 each 11/32" diameter perforation holes.